

# Scalp Psoriasis



*A positive approach*

*to psoriasis and*

*psoriatic arthritis*

# What are the aims of this leaflet?

Psoriasis causes dry, scaly patches on the skin. It can commonly affect the scalp, which is sometimes a difficult condition to manage. It presents as thick, flaky patches that can be itchy, and because of the hair, is harder to treat.

This information is aimed to help you understand what it is, what symptoms to look out for, and how it can be treated. You'll also find practical tips to make daily care easier. Whether your psoriasis is mild or more severe, the information here is designed to guide you through treatment options and give you confidence in managing your scalp health.

## Background

It is common and approximately half of all people with psoriasis also have it on their scalp. Children can get scalp psoriasis too. Treatments will be much the same as those used for adults.



Psoriasis on the scalp forms in the same way as on other parts of the body but the hair traps the scales of skin and so it does not rub away as it would on other areas of the body. The result is that the scale can quickly build up, causing a thicker plaque.

This difficulty is compounded by the hair, which acts as a physical barrier obstructing the easy application of creams and ointments to the affected skin.

Although a chronic life-long condition, on rare occasions, scalp psoriasis has been known to disappear spontaneously.


## What are the symptoms?

Scalp psoriasis causes redness and scaliness, which may also involve the hairline, the forehead, behind the ears and the back of the neck. It can range from very mild with slight fine scaling to very severe, crusted thick scaling covering the entire scalp. Hair loss during the flare-up can occur in some cases, but the hair will normally grow back. Psoriasis

can be itchy, make the scalp feel tight and occasionally cause soreness, especially if there are cracks in the skin.

## What are the treatments?

There are many treatment options that can help scalp psoriasis and often a combination approach using a number of different treatments may be required until the symptoms have settled. It is important to remember to continue to treat the scalp even if hair falls out. Hair usually grows back once the inflammation and scale has cleared.



Treatments can be time-consuming and you may find them easier if you ask someone to help you. It is important to choose one that suits your lifestyle; carrying out intensive treatments over the weekend, for example, when you have more free time. Psoriasis is not curable, but the signs and symptoms can be well controlled.

It can take at least eight weeks until you gain adequate control of the plaques. Remember to try to treat psoriasis daily when it is active.

If, however, you have seen no improvement after 4-weeks continuous treatment, you should return to your doctor or nurse for further assessment.

Once you have gained adequate control of your scalp psoriasis, it is important to maintain the improvement. This can usually be done with regular use of a tar shampoo and or by moisturising the scalp occasionally with an oil or emollient. Some people find daily treatment of the scalp an advantage in keeping the scales from returning, but this would be a personal preference depending on your circumstances. If you have no success in controlling your scalp psoriasis, ask your GP to refer you to a specialist.



Guidance from the National Institute for Health and Care Excellence (NICE) recommends:

Topical treatment for scalp psoriasis in adults, young people and children

1. Potent corticosteroid once daily for up to 4 weeks as the initial treatment. If you find it difficult or cannot use corticosteroids on your scalp, or you have mild to moderate scalp psoriasis, your healthcare professional may instead offer you a vitamin D preparation.
2. If there is no improvement after 4 weeks you may be offered: a different formulation of corticosteroid (e.g. a shampoo or mousse); and/or a scalp treatment to remove the scales (such as an emollient or oil) before further applications of the potent corticosteroid.
3. If the situation is no better after a further 4 weeks you should be offered:
  - a combined product containing a potent corticosteroid and vitamin D applied once a day for up to 4 weeks; or
  - a vitamin D preparation applied once a day (if you can't use corticosteroids and have mild to moderate scalp psoriasis)
4. If a combined product or vitamin D preparation does not control your scalp psoriasis after 8 weeks, you should be offered one of the following options:
  - for adults only, a very potent corticosteroid applied up to twice a day for 2 weeks
  - a coal tar preparation applied once or twice a day
  - referral to a specialist for help with topical applications or advice on other treatments.

***Here is a list of topical treatments that NICE mentions and which you may find useful for scalp psoriasis:***

### **Topical steroids (corticosteroids)**

Topical steroids come in various formulations and some are specifically designed as scalp products. These tend to be lotions, gels, foams, sprays or shampoo, so they can be used more easily in hair-covered areas, are more

cosmetically acceptable and are easier to wash out. When there is a lot of scale and soreness you may be advised to avoid topical treatments with high alcohol content as these often cause drying and stinging; a gel or lotion-based product might be more suitable.

Corticosteroids come in different strengths, ranging from mild to very strong potency. Potent steroids are usually prescribed for scalp treatment, but these are not suitable for the face or around the ears. They should not be used continuously for long periods of time. They are used, ideally, for a few weeks to bring the psoriasis under control, and then gradually phased out, switching to maintenance treatment with a coal tar shampoo and/or emollient. Sometimes the corticosteroid becomes less effective after repeated use and you may need to try an alternative formulation or treatment for a while.

When you are using potent steroids on the scalp, take care not to let the treatment run onto your face or behind your ears, as the skin is much thinner in these areas and more prone to damage. It's important to wash your hands after using these treatments so you do not spread the treatment to other areas by mistake.

## **Vitamin D analogues**

Vitamin D analogues are available as ointment, gel, foam or lotion depending on the brand. They are usually applied once or twice a day and left in contact with the scalp (i.e. do not need to be washed out). They do not smell or stain clothing, and are relatively easy to use, although not all are specifically designed for use on the scalp. They can be used to bring the scalp psoriasis under control and maintain that control. One manufacturer combines the treatment with a potent steroid and this must therefore be avoided on the face and behind the ears. Products without steroid content are safe to use on the forehead too, but can sometimes cause irritation. It is wise to test a small patch before applying it to the entire scalp. In all cases, avoid contact with the eyes.

## **Tar products**

Tar shampoos, gels, ointments and creams are commonly used to treat scalp psoriasis and can be used on the hairline, forehead and around the ears. They may be

combined with other medications, such as salicylic acid or coconut oil, to help remove scale. Tar is effective but it can stain clothing and jewellery and has a strong smell, so some people dislike using it. The precise instructions for use will depend on the formulation of the product, but tar products are usually massaged into the scalp, left in contact for a period of time (perhaps 1-2 hours) and then washed off. Clothes and bedding can be protected from staining by wearing a shower cap during the contact period. Make sure you receive full instructions from your nurse, doctor or pharmacist on how to use the product safely and effectively.

## **Medicated shampoos**

There are several coal tar and medicated shampoos for treating scalp psoriasis available from your local chemist. For further advice, speak to your pharmacist. You should bear in mind that medicated shampoos are designed for treating the scalp rather than washing hair, so using regular shampoo and conditioner after your scalp treatments will reduce any unpleasant smell and leave your hair shiny and manageable. When using tar shampoos, you should massage the shampoo into the scalp and leave for 5-10 minutes before rinsing out. Tar shampoo alone is not recommended for treating severe scalp psoriasis (i.e. where there is thick scaling and redness).

## **Emollients/oils**

Sometimes emollient ointments or oils can be useful in softening thick, adherent scale on psoriasis plaques. Other 'active' treatments like steroids or tar will work better if the scale is removed first, because they can then better penetrate the area that needs treating. There are a couple of products specifically marketed for this purpose, but preparations such as olive oil, coconut oil or softened emulsifying ointment may be used, or your pharmacist may be able to recommend an alternative emollient or lotion.

Oil (olive or coconut) can be dribbled onto the scalp and massaged in, section by section, trying to avoid too much going on the hair. The scalp can then be wrapped in a towel, shower cap or cling film and left for 30-60 minutes. The scalp and hair can then be washed with normal or tar shampoo. While the scalp is still damp, the scales should

be softened and looser, making them easier to remove by hand. You may find this more manageable if you have someone to help. Place a plastic, fine-toothed comb flat against the scalp and gently rotate it in a circular motion. Loosen the scale carefully and try to comb it out of the hair. Do not remove scales too fiercely as this can damage the skin and cause hair loss. You can then shampoo again to wash away debris from the scalp and out of the hair. The hair may need two washes if it remains oily. You can, of course, use a hairdryer to dry your hair afterwards. Once this is done, an active treatment such as a corticosteroid lotion can be applied. Some people find that a combination of techniques works better for them, so work out a regime that suits your circumstances and gives you the results that you find most convenient.



**NB: Tar ointments are used in a similar way.**

**WARNING:** Studies have shown that emollient creams that become dried on clothing, dressings and other material can catch fire if exposed to a source of ignition (this could include a spark from a naked flame, whilst smoking, using cigarette lighters or any other methods where the product could be exposed to a potential flame source). There have been reported incidents where injury caused by the ignition of material which has come in contact with emollient creams has led to serious and life-threatening situations and even death

## Other treatments

### Dithranol

Dithranol is an older but effective treatment for stubborn psoriasis patches. It is applied to the skin for a short time (up to 30 minutes) and then washed off. Use it carefully because it can irritate skin and stain hair, clothes, and bathroom surfaces. Extra attention is needed and so it is probably best reserved for supervised use in dermatology clinics only.

## Antimicrobial treatment

If a bacterial or yeast infection is present, scalp psoriasis can become worse. A crusting scalp together with scaling and/or swollen lymph nodes in the neck may indicate to your doctor that anti-microbial treatment will be necessary as there is infection present.



Mild scalp psoriasis can also mimic or coincide with a yeast infection and so may respond well to treatment with

antifungal shampoos. Antifungal shampoos may have to be used once or twice a week thereafter to maintain results.

## Ultraviolet light (UV)

Successful outcome for using UV light treatments is poor because the hair blocks UV light from penetrating the scalp. It works best on shaved heads. Natural sunlight may also help if your head is shaved or hair is thin. See our leaflets ***Psoriasis and Phototherapy*** and ***Psoriasis and the Sun***.

## Salicylic acid

A lot of product treatments will contain salicylic acid, known as a keratolytic. This ingredient aims to breakdown the psoriasis scales so they can be washed away more easily. It is contained in both Over The Counter (OTC) and prescription products. It's worth remembering that treatment with high concentrations of this ingredient can cause irritation and sometimes weaken hair, resulting in some temporary hair loss. Hair should, however, return to normal after stopping the treatment.

## Combination medications

The treatment of psoriasis should be tailored to each person. Your doctor or nurse may try various combinations of treatments before finding which works best for you. Make sure you ask how to use the treatments and if possible have some written instructions, as it can be confusing if you are prescribed several different products.

## Systemic treatments

For severe and recalcitrant (difficult to treat) scalp psoriasis a systemic treatment may be considered. This would be under the care of a dermatologist.


## Hairdressing

Some people with scalp psoriasis find it embarrassing when they first visit a new hairdresser or barber). Any reputable hairdresser should understand conditions such as scalp psoriasis and be able to advise you on styles, colourings and hair products. It is always worth making general enquiries of friends and relatives about local hairdressers or contacting the Hairdressing Council for further advice. Some hairdressers are also happy to visit your home if you would prefer not to go to a salon.

There is no evidence to suggest the use of hair dyes, hair sprays or perms will affect your scalp, but make sure you ask your hairdresser to apply patch tests before embarking on any treatments, to see if the products will irritate your scalp or psoriasis lesions. They may be able to use or advise you of gentler products.

## Pregnancy

Some treatments should not be used during pregnancy or breast-feeding, so before you use them, always check their suitability with your doctor. As a general rule, emollients, some oils and corticosteroid formulations (without antimicrobial or salicylic acid added) are safe to use.



## Practical tips

- Try not to scratch your scalp, even though it can be itchy. Scratching can make it worse, cause bleeding, and lead to hair loss.
- Use gentle shampoos, preferably medicated ones with coal tar or salicylic acid, and avoid rubbing or scrubbing harshly.

- Soften thick scales with oils or emollients like coconut or olive oil before treatment. Gently combing out loosened scales can help, but be careful not to pull or damage your scalp.
- Apply treatments carefully, lifting your hair to get the medicine onto the scalp, not just the hair.
- Keep your scalp moisturised daily to reduce dryness and itching.
- Stick with your treatment routine, even if hair falls out temporarily, it usually grows back once inflammation calms down.
- Try to reduce stress, as stress can trigger or worsen psoriasis flare-ups.
- If treatment isn't helping after a few weeks or if you notice signs of infection like swelling or crusting, see your doctor or nurse.

These tips can help make scalp psoriasis easier to manage and keep symptoms under control.

## More information

We have produced several other particularly relevant leaflets, which you may find useful, including **What is Psoriasis? Treatments for Psoriasis: An Overview, Nail Psoriasis, Emollients and Psoriasis, and Psoriasis and Sensitive Areas.**

## Useful links

For general health information and access to services in the UK, there are several helpful resources available, including official NHS websites and other trusted sources. These links provide valuable information to help you navigate the healthcare system, access services, and make informed decisions about your health and well-being

[www.papaa.org/links](http://www.papaa.org/links)

## About this information

This material was produced by PAPAA. Please be aware that research and development of treatments is ongoing. For the latest information or any amendments to this material, please contact us or visit our website: [www.papaa.org](http://www.papaa.org). The site contains information on treatments and includes patient experiences and case histories.

Original text written by PAPAA. Fully reviewed and revised in May 2013 and August 2015. A peer review was carried out by consultant nurse Karina Jackson, St John's Institute of Dermatology, Guy's and St Thomas' NHS Foundation Trust, in April 2018. Further minor text reviews PAPAA February 2022 and September 2025.

A lay and peer review panel has provided key feedback on the content used in this leaflet. The panel includes people with or affected by psoriasis and/or psoriatic arthritis.

## Quality and accuracy

To learn more about how this material was developed and produced and the criteria we use to deliver quality support and information, go to our website and read the PAPAA Pledge: [www.papaa.org/pledge](http://www.papaa.org/pledge)

If you have any views or comments about this information or any of the material PAPAA produces, you can contact us via the details on the back page or online at [www.papaa.org/user-feedback](http://www.papaa.org/user-feedback)

Published: September 2025

Review date: August 2029

©PAPAA



# **The charity for people with psoriasis and psoriatic arthritis**

**PAPAA is independently funded and is a principal source of information and educational material for people with psoriasis and psoriatic arthritis in the UK.**

**PAPAA supports both patients and professionals by providing material that can be trusted (evidence-based), which has been approved and contains no bias or agendas.**

**PAPAA provides positive advice that enables people to be involved, as they move through their healthcare journey, in an informed way which is appropriate for their needs and any changing circumstances.**

**Contact: PAPAA**

**www.papaa.org**

**Email: [info@papaa.org](mailto:info@papaa.org)**

**Tel: 01923 672837**

**3 Horseshoe Business Park, Lye Lane,  
Bricket Wood, St Albans,  
Herts. AL2 3TA**

ISBN 978 1 906143 27 5



9 781906 143275 >



**Psoriasis and Psoriatic Arthritis Alliance is a company limited by guarantee registered in England and Wales No. 6074887**

**Registered Charity No. 1118192**

**Registered office: 30 Orange Street, London, WC2H 7HF**